



SPECIFICATIONS

BATTERY MODEL	TERMINAL OPTIONS	CASE MATERIAL OPTIONS
NP 7-12	Faston .187 (F1) Faston .250 (F2)	UL 94 V-0 UL 94 HB
Nominal voltage (V)		12
20-hr rate Capacity to 10.5V at	t 25°C (77°F) (Ah)	7.0
10-hr rate Capacity to 10.5V at	t 25°C (77°F) (Ah)	6.3
DIMENSIONS		
Length		151mm (5.94 in.)
Width		65mm (2.56 in.)
Height over terminals		97.5mm (3.84 in.)
Weight		2.2kg (4.85 lbs.)
OPERATING TEMPERATURE RA	ANGE	
Storage (in fully charged condition)		-20°C to +60°C (-4°F to +140°F)
Charge		-15°C to +50°C (5°F to +122°F)
Discharge		-20°C to +60°C (-4°F to +140°C)
STORAGE		
Capacity loss per month at 25°	°C (77°F) (% approx.)	3
CHARGE VOLTAGE		
Float charge voltage at 25°C (77°F) (V)/Battery		13.65 (±1%)
Float charge voltage at 25°C (77°F) (V)/Cell		2.275 (±1%)
Float charge voltage temperature correction factor from standard 25°C (77°F) (mV)		
Float charge voltage temperat standard 25°C (77°F) (mV)	ure correction factor from	-3
Float charge voltage temperat standard 25°C (77°F) (mV) Cyclic (or Boost) charge voltag		-3 14.5 (±3%)
standard 25°C (77°F) (mV)	e at 25°C (77°F) (V)/Battery	
standard 25°C (77°F) (mV) Cyclic (or Boost) charge voltage	e at 25°C (77°F) (V)/Battery e at 25°C (77°F) (V)/Cell	14.5 (±3%)
standard 25°C (77°F) (mV) Cyclic (or Boost) charge voltage Cyclic (or Boost) charge voltage	e at 25°C (77°F) (V)/Battery e at 25°C (77°F) (V)/Cell	14.5 (±3%) 2.42 (±3%)
standard 25°C (77°F) (mV) Cyclic (or Boost) charge voltage Cyclic (or Boost) charge voltage Cyclic charge voltage temperates standard 25°C (77°F) (mV)	e at 25°C (77°F) (V)/Battery e at 25°C (77°F) (V)/Cell	14.5 (±3%) 2.42 (±3%)
standard 25°C (77°F) (mV) Cyclic (or Boost) charge voltage Cyclic (or Boost) charge voltage Cyclic charge voltage temperate standard 25°C (77°F) (mV) CHARGE CURRENT	e at 25°C (77°F) (V)/Battery e at 25°C (77°F) (V)/Cell	14.5 (±3%) 2.42 (±3%) -4
standard 25°C (77°F) (mV) Cyclic (or Boost) charge voltage Cyclic (or Boost) charge voltage Cyclic charge voltage temperate standard 25°C (77°F) (mV) CHARGE CURRENT Maximum charge current (A)	e at 25°C (77°F) (V)/Battery e at 25°C (77°F) (V)/Cell ture correction factor from	14.5 (±3%) 2.42 (±3%) -4
standard 25°C (77°F) (mV) Cyclic (or Boost) charge voltage Cyclic (or Boost) charge voltage Cyclic charge voltage temperate standard 25°C (77°F) (mV) CHARGE CURRENT Maximum charge current (A) DISCHARGE CURRENT	e at 25°C (77°F) (V)/Battery e at 25°C (77°F) (V)/Cell ture correction factor from	14.5 (±3%) 2.42 (±3%) -4 1.75
standard 25°C (77°F) (mV) Cyclic (or Boost) charge voltage Cyclic (or Boost) charge voltage Cyclic charge voltage temperal standard 25°C (77°F) (mV) CHARGE CURRENT Maximum charge current (A) DISCHARGE CURRENT Maximum continuous discharge	e at 25°C (77°F) (V)/Battery e at 25°C (77°F) (V)/Cell ture correction factor from	14.5 (±3%) 2.42 (±3%) -4 1.75
standard 25°C (77°F) (mV) Cyclic (or Boost) charge voltage Cyclic (or Boost) charge voltage Cyclic charge voltage temperate standard 25°C (77°F) (mV) CHARGE CURRENT Maximum charge current (A) DISCHARGE CURRENT Maximum continuous discharge Short circuit current (A)	e at 25°C (77°F) (V)/Battery e at 25°C (77°F) (V)/Cell ture correction factor from	14.5 (±3%) 2.42 (±3%) -4 1.75
standard 25°C (77°F) (mV) Cyclic (or Boost) charge voltage Cyclic (or Boost) charge voltage Cyclic charge voltage temperate standard 25°C (77°F) (mV) CHARGE CURRENT Maximum charge current (A) DISCHARGE CURRENT Maximum continuous discharge Short circuit current (A) IMPEDANCE	e at 25°C (77°F) (V)/Battery e at 25°C (77°F) (V)/Cell ture correction factor from	14.5 (±3%) 2.42 (±3%) -4 1.75 105 275




TERMINALS





LAYOUT



3RD PARTY CERTIFICATION

ISO 9001 Certificate
ISO 14001 Certificate
TAA Compliant – Made in Taiwan
DRC Conflict Free

LONG SHELF LIFE

The extremely low self discharge rate allows the battery to be stored for extended periods up to one year at normal ambient temperatures with no permanent loss of capacity.


FLOAT SERVICE LIFE


The expected service life is five years in float standby applications.

















WARNING: Cancer and Reproductive Harm. Wash hands after handling. www.P65Warnings.ca.gov

ABOUT GS YUASA ENERGY SOLUTIONS. INC.

GS Yuasa Energy Solutions, Inc. is an American subsidiary of GS Yuasa Corporation, the world's second largest battery company and a 100+ year old Japanese corporation. GS Yuasa Energy Solutions (GYES) was formed in 2019 to address the growing energy storage and reserve power markets. GYES brings together and leverages GS Yuasa Group's advanced technologies with proven American market successes in lithium, telecom, UPS, alarm & security, and energy storage into a single business unit.





500-100-107 ver.5.0 6-2022